


# Cosmology AS7009, 2010 Lecture 8



## Outline

- Origin of the elements
- Big Bang Nucleosynthesis
- Measuring Abundances
- Lingering discrepancies
- Baryon-Antibaryon asymmetry

Covers chapter 10 in Ryden + extra stuff

## The Elements

Atomic nuclei :

Z = Number of protons

N = Number of neutrons

A = Nucleons = Mass number = Z + N

<sup>1</sup>H = Normal hydrogen nucleus (proton)

<sup>2</sup>H = Deuterium (hydrogen isotope)

<sup>4</sup>He = Normal Helium

## X, Y, Z

- X: Mass fraction of Hydrogen (most common element in the Universe).  
Here, now: X ≈ 0.71
- Y: Mass fraction of Helium (second most common element in the Universe)  
Here, now: Y ≈ 0.27
- Z: Mass fraction of all heavier elements combined. Also known as "Metallicity".  
Here, now: Z ≈ 0.02

## Abundances in Astronomy

$$[A/B] = \log_{10} \left( \frac{(\text{number of A atoms} / \text{number of B atoms})_{\text{object}}}{(\text{number of A atoms} / \text{number of B atoms})_{\text{sun}}} \right)$$

### • Common examples:

- [Fe/H], [O/H] – These two are often carelessly referred to as 'metallicities'
- [Fe/H] = -1 means that the object you're looking at only has 10% Iron (relative to hydrogen) compared to the Sun.

## The Light Elements


Created during Big Bang Nucleosynthesis, roughly in the first three minutes after the Big Bang:

- <sup>2</sup>H (Deuterium, D), <sup>3</sup>H (Tritium)
- <sup>3</sup>He, <sup>4</sup>He
- <sup>6</sup>Li, <sup>7</sup>Li
- <sup>7</sup>Be, <sup>8</sup>Be (Unstable, decays back into Li)

Note: BBNS required to explain abundances of <sup>4</sup>He and Deuterium!

## The Heavy Elements


- Essentially all elements with  $A > 7$  are created through
  - Stellar nucleosynthesis
  - Supernova nucleosynthesis



Fusion:  $H \rightarrow He \rightarrow$  Heavier elements

## Cosmic Ray Spallation


- Nucleosynthesis due to high-energy impacts of cosmic rays
- Can form  ${}^3\text{He}$  + certain isotopes of Li, Be, B, Al, C, Cl, I and Ne





## Important BBNS Reactions I: Proton-neutron freezeout

Consider the Universe at  $t \approx 0.1$  s...

Pair production :




$n$  and  $p$  are held in equilibrium with each other :



Neutrinos freeze out of these reactions at  $t \sim 1$  s  $\rightarrow$


Neutron-to-proton ratio frozen at  $n_p/n_p \approx 0.2$

Then follows neutron decay:




## Important BBNS Reactions II: Deuterium and Helium synthesis

Consider the Universe at  $t \approx 2-300$  s...




The rightward direction starts to dominate once the photon temperature has dropped below the 2.22 MeV binding energy of Deuterium. Serious production of D does not start until  $t \approx 300$  s.

Once we have Deuterium, several routes allow the formation of Helium:




## The Detailed Solution



## The Beryllium Bottleneck

- No stable nuclei with  $A=8$   $\rightarrow$  Prevents formation of heavier elements during BBNS

Even though you can form:




${}^8\text{Be}$  will decay back into He after just  $3 \times 10^{-16}$  s

Yet we know that the Universe has somehow managed to make heavier elements...

## The Beryllium Bottleneck II

How do you make carbon?

Solution: The Triple-Alpha process can take place in stars because of high temperatures (fast fusion of Helium)



## The Beryllium Bottleneck III

Triple-Alpha works because  ${}^4\text{He}$ ,  ${}^8\text{Be}$  and  ${}^{12}\text{C}$  happen to have finely tuned energy levels.

Fred Hoyle (1950s) predicted a so far unknown excited level of  ${}^{12}\text{C}$ , to explain why Carbon-based entities such as ourselves exist. Experimentalists later proved him right!



## Suggestion for Literature Exercise: The Anthropic Principle in Cosmology

- Anthropic Reasoning:  
"If things were different, we wouldn't be here to observe them!"
- Has been advocated to crack tough nuts like:
  - The "why now?" problem  
Why is  $\rho_M \sim \rho_\Lambda$  at the current epoch?

## Primordial Abundances

To test BBNS, one needs to measure the primordial abundances of the light elements, i.e. measure the abundances in environments unaffected by chemical evolution


- Helium: Low-metallicity HII regions
- Deuterium: Quasar absorption lines
- Lithium: Low-metallicity stars

## Primordial Helium




The blue compact galaxy IZw18

## Primordial Deuterium




## Primordial Lithium



## BBNS – A Big Bang Success Story

- Big Bang explains primordial abundances of the light elements
- The abundances of the light elements agree with predictions over 9 orders of magnitude!
- The resulting  $\Omega_b$  is in accord with the result from other methods

This is how the success story is usually told – but there may be more to this than meets the eye...



## Lingering discrepancies

Tracer	$\Omega_b$
Deuterium	$0.038 \pm 0.005$
Helium	$0.021 \pm 0.008$
Lithium	$0.028 \pm 0.005$
CMBR	$0.046 \pm 0.007$

McGaugh (2008)

Something's wrong here...

## Suggestion for Literature Exercise: The Lithium Problem

- Why does Lithium-7 not agree with BBNS predictions?
  - Exotic particles decayed around  $t_{\text{BBNS}}$ ?
  - Stars used as probes destroy lithium through mixing?

## The Baryon-Antibaryon Asymmetry

Why is there so little antimatter?

- At the time of BBNS,  $n_{\text{bar}} \gg n_{\text{antibar}}$
- When the energy of the Universe was higher than 150 MeV: Quark soup

Pair production and annihilation  
 $q + \bar{q} \leftrightarrow \gamma + \gamma$   
 At lower temperatures:  
 $q + \bar{q} \Rightarrow \gamma + \gamma$

## The Baryon-Antibaryon Asymmetry II

- Slight overweight of quarks compared to antiquarks:

$$n_q > n_{\bar{q}} \text{ by 3 parts in a billion}$$

- This leads to current baryon-antibaryon asymmetry and large photon-to-baryon ratio at BBNS

Problem: Mechanism behind quark-antiquark asymmetry poorly understood...